

## METOLAZONE ORAL SUSPENSION 1 MG/ML

Revised April 28/09

**CAUTION:** The information has been developed specifically for the IWK Health Centre. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient situations will vary and some information may have become outdated as a result of more recent evidence or practice changes. The IWK Health Centre will not assume responsibility for the continued currency of the information, any errors or omissions, and/or any consequences arising from the use of the information outside of the IWK.

**EQUIPMENT:** counting tray mortar and pestle stirring rod labels calibrated graduate(s) spatula amber storage bottle

INGREDIENTS	QUANTITY
Metolazone 2.5 mg Ora Blend®	48 tablets gs ad 120 mL

## PROCEDURE:

- 1. Place tablets in mortar. Add small amount of water to dissolve tablets.
- 2. Using pestle mix dissolved tablets with approximately 10 mL of Ora Blend® to make a uniform paste.
- 3. Gradually add Ora Blend®. Stir after each addition.
- 4. Qs ad to final volume. Mix thoroughly.
- 5. Transfer to appropriately sized amber container.
- 6. Shake well. Label.

Metolazone 2.5 mg tab
Ora Blend® qs ad

STORAGE:		PROTECT FROM LIGHT REFRIGERATE			STABILITY: 60 I				
REFERENCE:	Am J Health Sys Pharm 1996; 53:2073-8.								
Lot:	_ Manufac	cturing Date	e:	Expiry					
Quantity Prepared:			-						
INGREDIENTS USED			SOURCE			СН	CHECK		
Drug Name/Strength/Form Quanti		Quantity	Manufacturer	Lot	Expiry	Prepared By	Checked By		

IWK Compounding Service information can be accessed via our website, <a href="www.iwk.nshealth.ca">www.iwk.nshealth.ca</a>, within the For Health Professionals section.

FINAL CHECK: