

NADOLOL ORAL SUSPENSION 10 MG/ML

Ingredient	Quantity
Nadolol 80 mg	5 tablets
Oral Mix®	qs 40 mL

Equipment:

- mortar and pestle
- calibrated graduate
- stirring rod
- amber plastic bottle

Storage:

- Room Temperature
- Protect from light

Stability:

60 days

Procedure:

- 1. Using mortar and pestle pulverize tablets into a fine powder.
- 2. Add approximately 10 mL of vehicle and mix to a uniform paste.
- 3. Gradually add vehicle. Stir after each addition and transfer to graduated cylinder.
- 4. Qs to final volume. Mix thoroughly.
- 5. Transfer to amber plastic bottle.
- 6. Shake well and label.

Sample Label:

Nadolol 10 mg/mL Oral Suspension

Storage: Date Prepared: Shake Well Expiry Date:

Quantity: 40 mL

References:

Hospital for Sick Children *pending stability study*

CAUTION: The information has been developed specifically for the IWK Health Centre. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient situations will vary and some information may have become outdated as a result of more recent evidence or practice changes. The IWK Health Centre will not assume responsibility for the continued currency of the information, any errors or omissions, and/or any consequences arising from the use of the information outside of the IWK.

Revised: 20 June 2017