

URSODIOL ORAL SUSPENSION 20 MG/ML

Revised April 26/09

CAUTION: The information has been developed specifically for the IWK Health Centre. It is provided for informational purposes for qualified health care professionals. This material is not intended as a substitute for consulting qualified health care professionals. Patient situations will vary and some information may have become outdated as a result of more recent evidence or practice changes. The IWK Health Centre will not assume responsibility for the continued currency of the information, any errors or omissions, and/or any consequences arising from the use of the information outside of the IWK.

EQUIPMENT: counting tray mortar and pestle stirring rod labels spatula calibrated graduate(s) amber storage bottle

INGREDIENTS	QUANTITY		
Ursodiol 250 mg	8 tablets		
Ora Blend®	qs ad 100 mL		

PROCEDURE:

- 1. Using mortar and pestle pulverize tablets to a fine powder.
- 2. Add approximately 10 mL of Ora Blend® and mix to a uniform paste.
- 3. Gradually add remaining Ora Blend®. Stir after each addition.
- 4. Qs to final volume. Mix thoroughly.
- 5. Transfer to an appropriately sized amber bottle.
- 6. Shake gently. Label.

STORAGE:	PROTECT FROM L REFRIGERATE	IGHT	STABILITY: 60	DAYS
REFERENCE:	Journal of Applied T	herapeutic Research,	, 1999, Vol. 2 pp. 22	21-224.
Lot:	_ Manufacturing Date	:	Expiry Date:	
Quantity Prepared:				

INGREDIENTS USED		SOURCE			CHECK	
Drug Name/Strength/Form	Quantity	Manufacturer	Lot	Expiry	Prepared By	Checked By
Ursodiol 250 mg tab						
Ora Blend® qs ad						
FINAL CHECK:						